FINEBOTT

Sludge digesting probiotics

Formation and accumulation of sludge in intensive ponds is generally perceived to impact shrimp production, although there have been few systematic investigations. Sludge deposits are suspected as the site of much of the biochemical oxygen demand, mineralization of nutrients from organic matter, formation of toxic metabolites, and possibly the site of nutrient and organic matter recycling back into the pond food web.



Composition

Live beneficial such as Bacillus Subtills, Bacillus Licheniformis, Bacillus Polymyxa, Nitromonas, Nitrobacter, Pseudomonas, Nitrifying & Denitrifying bacteria.

Rhodobacter Spearoides : 2x 10° (CFU/ml) Rhodopseudomonas palustris : 2x 10° (CFU/ml) Rhodococcus erythropolis : 2x 10° (CFU/ml) Rhodobacter capsulatus : 2x 10° (CFU/ml)

Dosage

Dosage: 1kg to 3 kg /acre or as advised by aqua consultant/expert.

Product of India

Manufactured and Marketed by



No 11, VOC Street, Ponmalaipatti, Tiruchirappalli - 620004, Tamilnadu, India. biozonaahc@gmail.com +91 9790155126 www.biozona.in NOT FOR HUMAN, CAT & DOG

THE PRODUCT IS FREE FROM CHLORAMPHENICOL, NITROFURAN, ANTIBIOTICS AND MELAMINE, BY-PRODUCT OF SWINE/BOUVINE AND ANY OTHER GENETICALLY MODIFIED ORGANISM.

AQUATIC POND APPLICATION